

URKUND Master Class

Herhangi bir dosyayı bir metni silmeden nasıl yedeđini, farklı versiyonunu, taslađını veya kaynađını korursunuz.



URKUND

Jonas Lundqvist (jonas.lundqvist)

Dokument Dangers_of_diving_v2.doc (D9215433)

Inskickat 2013-11-13 15:35 (+01:00)

Inskickad av Title submission (support@prioinfo.se)

Mottagare jolu.test@analys.urkund.se

Meddelande My paper on diving [Visa hela meddelandet](#)

100% av det här ca 3 sidor stora dokumentet b

Källförteckning

Rankning Sökväg/Filnamn

> Dangers_of_diving.doc

Alternativa källor

Oanvända källor

Kaynak bir kopyadır, veya eski bir versiyonudur.

Kaynakta 100% benzerlik olması diğer alternatif eşleşmeleri yok sayıyor.

0 Varningar Återställ Exportera Skicka

100% Aktiv Urkunds arkiv: Test// Dangers_of_diving.doc 100%

This is a demo document created to illustrate the use of the urkund system. Author: Des DeMona Dangers of diving

During

the last 20 years diving has become very popular, both abroad and at home. But diving is not without its dangers. It is vital to attend a recognised diving school for training, and subsequently make sure that you keep your skills updated.

Diving has to be planned and carried out in a responsible manner, making sure that first aid equipment and relevant phone numbers are at hand if an accident should take place. Finally, it is important to know the signs of decompression sickness and to be able to give first aid to the diver who has been affected. Beware of diving bells though; they have become more and more popular at tropical beach resorts lately as a method of experiencing nautical adventures without proper training or brains. Diving bells is an obsolete way of diving and should only be utilized by professionals in salvaging operations at great depths, like the Swedish Regal ship Vasa or the German WWII battle cruiser Bismarck. Not for looking at coral at a depth of a measly 9m in some lagoon. It can be dangerous. Don't do it.

What is decompression sickness?

Decompression sickness, by many referred to as "the bends" or "diving sickness", is triggered when bubbles of nitrogen forms in the blood and tissue of a body. These bubbles follow when a person rises from deep water to shallow water, where the pressure is lower, too quickly.

The symptoms of the bends occur almost immediately after a completed dive and can lead to catalepsy or even death in serious cases.

If you or a dive-mate exhibits symptoms of decompression sickness, immediately stop the dive, start administrating first aid, and call a specialist in divers' medicine for help. The only treatment is to breathe 100% oxygen on site as well as in transport to treatment in a decompression chamber.

Symptoms of decompression sickness

This is a demo document created to illustrate the use of the urkund system. Author: Des DeMona Dangers of diving

During

the last 20 years diving has become very popular, both abroad and at home. But diving is not without its dangers. It is vital to attend a recognised diving school for training, and subsequently make sure that you keep your skills updated.

Diving has to be planned and carried out in a responsible manner, making sure that first aid equipment and relevant phone numbers are at hand if an accident should take place. Finally, it is important to know the signs of decompression sickness and to be able to give first aid to the diver who has been affected. Beware of diving bells though; they have become more and more popular at tropical beach resorts lately as a method of experiencing nautical adventures without proper training or brains. Diving bells is an obsolete way of diving and should only be utilized by professionals in salvaging operations at great depths, like the Swedish Regal ship Vasa or the German WWII battle cruiser Bismarck. Not for looking at coral at a depth of a measly 9m in some lagoon. It can be dangerous. Don't do it.

What is decompression sickness?

Decompression sickness, by many referred to as "the bends" or "diving sickness", is triggered when bubbles of nitrogen forms in the blood and tissue of a body. These bubbles follow when a person rises from deep water to shallow water, where the pressure is lower, too quickly.

The symptoms of the bends occur almost immediately after a completed dive and can lead to catalepsy or even death in serious cases.

If you or a dive-mate exhibits symptoms of decompression sickness, immediately stop the dive, start administrating first aid, and call a specialist in divers' medicine for help. The only treatment is to breathe 100% oxygen on site as well as in transport to treatment in a decompression chamber.

Symptoms of decompression sickness

URKUND

Dokument [Dangers_of_diving_v2.doc](#) (D9215433)
Inskickat 2013-11-13 15:35 (+01:00)
Inskickad av Title submission (support@prinfo.se)
Mottagare jolu.test@analys.urkund.se
Meddelande My paper on diving [Visa hela meddelandet](#)
100% av det här ca 3 sidor stora dokumentet består av text som också förekommer i 1 st källor.

Källförteckning Jonas Lundqvist (Jonas.lundqvist)

Rankning	Sökväg/Filnamn
>	Dangers_of_diving.doc
Alternativa källor	
	http://www.diversalernetwork.org/medical/articles/article.asp?articleid=65
	http://bucearte.com/articles/fermedad-descompresiva?locale=en
	http://docs4ever.blogspot.com/2013_05_17_archives.html
	http://www.traveldoctor.co.uk/dcs.htm
Oanvända källor	

0 Varningar Återställ Exportera Skicka

100% Aktiv **Urkunds arkiv:** Test// Dangers of diving.doc 100%

This is a demo document created to illustrate the use of the urkund system. Author: Des DeMona Dangers of diving

During

the last 20 years diving has become very popular, both abroad and at home. But diving is not without its dangers. It is vital to attend a recognised diving school for training, and subsequently make sure that you keep your skills updated.

Diving has to be planned and carried out in a responsible manner, making sure that first aid equipment and relevant phone numbers are at hand if an accident should take place. Finally, it is important to know the signs of decompression sickness and to be able to give first aid to the diver who has been affected. Beware of diving bells though; they have become more and more popular at tropical beach resorts lately as a method of experiencing nautical adventures without proper training or brains. Diving bells is an obsolete way of diving and should only be utilized by professionals in salvaging operations at great depths, like the Swedish Regal ship *Vasa* or the German WWII battle cruiser *Bismarck*. Not for looking at coral at a depth of a measly 9m in some lagoon. It can be dangerous. Don't do it.

What is decompression sickness?

Decompression sickness, by many referred to as "the bends" or "diving sickness", is triggered when bubbles of nitrogen forms in the blood and tissue of a body. These bubbles follow when a person rises from deep water to shallow water, where the pressure is lower, too quickly.

The symptoms of the bends occur almost immediately after a completed dive and can lead to catalepsy or even death in serious cases.

If you or a dive-mate exhibits symptoms of decompression sickness, immediately stop the dive, start administrating first aid, and call a specialist in divers' medicine for help. The only treatment is to breathe 100 % oxygen on site as well as in transport to treatment in a decompression chamber.

Symptoms of decompression sickness

This is a demo document created to illustrate the use of the urkund system. Author: Des DeMona Dangers of diving

During

the last 20 years diving has become very popular, both abroad and at home. But diving is not without its dangers. It is vital to attend a recognised diving school for training, and subsequently make sure that you keep your skills updated.

Diving has to be planned and carried out in a responsible manner, making sure that first aid equipment and relevant phone numbers are at hand if an accident should take place. Finally, it is important to know the signs of decompression sickness and to be able to give first aid to the diver who has been affected. Beware of diving bells though; they have become more and more popular at tropical beach resorts lately as a method of experiencing nautical adventures without proper training or brains. Diving bells is an obsolete way of diving and should only be utilized by professionals in salvaging operations at great depths, like the Swedish Regal ship *Vasa* or the German WWII battle cruiser *Bismarck*. Not for looking at coral at a depth of a measly 9m in some lagoon. It can be dangerous. Don't do it.

What is decompression sickness?

Decompression sickness, by many referred to as "the bends" or "diving sickness", is triggered when bubbles of nitrogen forms in the blood and tissue of a body. These bubbles follow when a person rises from deep water to shallow water, where the pressure is lower, too quickly.

The symptoms of the bends occur almost immediately after a completed dive and can lead to catalepsy or even death in serious cases.

If you or a dive-mate exhibits symptoms of decompression sickness, immediately stop the dive, start administrating first aid, and call a specialist in divers' medicine for help. The only treatment is to breathe 100 % oxygen on site as well as in transport to treatment in a decompression chamber.

Symptoms of decompression sickness

[+] ya tıklayıp herhangi bir alternatif mevcut eşleşme var mıdır diye görebilirsiniz.

URKUND Jonas Lundqvist (Jonas.lundqvist)

Dokument [Dangers_of_diving_v2.doc](#) (D9215433)
Inskickat 2013-11-13 15:35 (+01:00)
Inskickad av Title submission (support@prinfo.se)
Mottagare jolu.test@analys.urkund.se
Meddelande My paper on diving [Visa hela meddelandet](#)
100% av det här ca 3 sidor stora dokumentet består av text som också förekommer i 1 st källor.

Källförteckning

Rankning	Sökväg/Filnamn
>	Dangers_of_diving.doc
Alternativa källor	
	http://www.diversalernetnetwork.org/medical/articles/article.asp?articleid=65
	http://bucearte.com/article/enfermedad-descompresiva?locale=en
	http://docs4ever.blogspot.com/2013_05_17_archive.html
	http://www.traveldoctor.co.uk/dcs.htm
Oanvända källor	

0 Varningar Återställ Exportera Skicka

100% Aktiv **Urkunds arkiv:** Test// Dangers of diving.doc 100%

This is a demo document created to illustrate the use of the urkund system. Author: Des DeMona Dangers of diving

During

the last 20 years diving has become very popular, both abroad and at home. But diving is not without its dangers. It is vital to attend a recognised diving school for training, and subsequently make sure that you keep your skills updated.

Diving has to be planned and carried out in a responsible manner, making sure that first aid equipment and relevant phone numbers are at hand if an accident should take place. Finally, it is important to know the signs of decompression sickness and to be able to give first aid to the diver who has been affected. Beware of diving bells though; they have become more and more popular at tropical beach resorts lately as a method of experiencing nautical adventures without proper training or brains. Diving bells is an obsolete way of diving and should only be utilized by professionals in salvaging operations at great depths, like the Swedish Regal ship Vasa or the German WWII battle cruiser Bismarck. Not for looking at coral at a depth of a measly 9m in some lagoon. It can be dangerous. Don't do it.

What is decompression sickness?

Decompression sickness, by many referred to as "the bends" or "diving sickness", is triggered when bubbles of nitrogen forms in the blood and tissue of a body. These bubbles follow when a person rises from deep water to shallow water, where the pressure is lower, too quickly.

The symptoms of the bends occur almost immediately after a completed dive and can lead to catalepsy or even death in serious cases.

If you or a dive-mate exhibits symptoms of decompression sickness, immediately stop the dive, start administrating first aid, and call a specialist in divers' medicine for help. The only treatment is to breathe 100 % oxygen on site as well as in transport to treatment in a decompression chamber.

Symptoms of decompression sickness

Step 1.

Bütün kaynakları aktif hale getirmek için tıklayınız.

Alternatif vurgular sol taraftaki alanda görülmektedir.

Genel Benzerlik Skoru

Dokument: Dangers of diving v2.doc (19735438)
0:25:35 (+01:00)
bolan (support@erikund.se)
analyzu@rikund.se
en diving (Utu hals meddelandet)
v det här ca 2 sidor stora dokumentet består av text som också beskriver en lista källor.

Källoröversikt Jonas Lundqvist (jonas.lundqvist)

Rankning	Sökarg/Titelnamn
1	Dangers of diving.doc
Alternativa källor	
2	http://www.dive.com.au/education/education/articles/article.asp?articleid=6
3	http://boystart.com/en/education/education/education/education
4	http://divebase.com/education/education/education/education
5	http://www.divebase.com/education/education/education/education
Övriga källor	

100% **Utsändningsdatum:** Text // Dangers of diving.doc **100%**

This is a demo document created to illustrate the use of the rikund system. Author: Jes DeLona Dangers of diving

During

the last 20 years diving has become very popular, both abroad and at home. But diving is not without its dangers. It is

visited attend

a recognized diving school for training, and subsequently make sure that you keep your skills updated.

Diving has to

be planned and controlled in a responsible manner, making sure that local equipment and relevant phone numbers are at hand if an accident should take place. Finally, it is important to know the signs of decompression sickness and to be able to give first aid to

the diver who has been affected. Beware of diving bells though they have become more and more popular at tropical beach resorts lately as a method of experiencing nautical adventures without proper training or trials. Diving bells is an obsolete way of diving and should only be utilized by professionals in salvaging operations at great depths, like the Swedish Regal ship Vasa or the German WWII battleship Bismarck. Not for looking at coral at a depth of a measly 9m in some lagoon. It can be dangerous. Don't do it.

What is decompression sickness?

Decompression sickness,

by many referred to as "the bends" or "diving sickness", is triggered when bubbles of nitrogen form in the blood and tissue of a body. These bubbles follow when a person rises from deep water to shallow water, where the pressure is lower, too quickly.

The symptoms of the bends occur almost immediately after a completed dive and can lead to paralysis or even death in serious cases.

If you or a dive-mate exhibits symptoms of

decompression sickness, immediately stop the dive, start administering first aid, and call a specialist in divers' medicine for help. The only treatment is to breathe 100% oxygen on site as well as in transport to

treatment in a decompression chamber.

Symptoms of decompression sickness

Tiki kaldırıldığında vurgulanmış yerler inaktif olur ve griye döner.

Step 2.

İstemediğiniz kaynakların tiki kaldırabilirsiniz

Step 3.

F5 e basarak analizi yenileyebilirsiniz.

URKUND

Dokument [Dangers of diving v2.doc](#) (D9215433)

Inskickat 2013-11-13 15:35 (+01:00)

Inskickad av Title submission (support@prinfo.se)

Mottagare jolu.test@analys.orkund.se

Meddelande My paper on diving [Visa hela meddelandet](#)

46% av det här ca 3 sidor stora dokumentet består av text som också förekommer i 4 st källor.

Källförteckning Jonas Lundqvist (Jonas.lundqvist)

Rankning	Sökväg/Filnamn
	http://www.diversalernetnetwork.org/medical/articles/article.asp?articleid=65
	http://bucearte.com/article/enfermedad-descompresiva?locale=en
	http://www.traveldoctor.co.uk/dcs.htm
	http://docs4ever.blogspot.com/2013_05_17_archive.html

Alternativa källor

Oanvända källor

100% Aktiv Urkunds arkiv: Test// Dangers of diving.doc 100%

This is a demo document created to illustrate the use of the urkund system. Author: Des DeMona Dangers of diving

During

the last 20 years diving has become very popular, both abroad and at home. But diving is not without its dangers. It is vital to attend a recognised diving school for training, and subsequently make sure that you keep your skills updated.

Diving has to be planned and carried out in a responsible manner, making sure that first aid equipment and relevant phone numbers are at hand if an accident should take place. Finally, it is important to know the signs of decompression sickness and to be able to give first aid to the diver who has been affected. Beware of diving bells though; they have become more and more popular at tropical beach resorts lately as a method of experiencing nautical adventures without proper training or brains. Diving bells is an obsolete way of diving and should only be utilized by professionals in salvaging operations at great depths, like the Swedish Regal ship Vasa or the German WWII battle cruiser Bismarck. Not for looking at coral at a depth of a measly 9m in some lagoon. It can be dangerous. Don't do it.

What is decompression sickness?

Decompression sickness, by many referred to as "the bends" or "diving sickness", is triggered when bubbles of nitrogen forms in the blood and tissue of a body. These bubbles follow when a person rises from deep water to shallow water, where the pressure is lower, too quickly.

The symptoms of the bends occur almost immediately after a completed dive and can lead to catalepsy or even death in serious cases.

If you or a dive-mate exhibits symptoms of decompression sickness, immediately stop the dive, start administrating first aid, and call a specialist in divers' medicine for help. The only treatment is to breathe 100 % oxygen on site as well as in transport to treatment in a decompression chamber.

Symptoms of decompression sickness

Step 4

Kenar boşluğundaki turuncu vurgulara tıklayınız.

İstenen kaynaklar şu anda önceliklidir, kopyaları ise alternatiftir.

URKUND Jonas Lundqvist (Jonas.lundqvist)

Dokument [Dangers_of_diving_v2.doc](#) (D9215433)

Inskickat 2013-11-13 15:35 (+01:00)

Inskickad av Title submission (support@prinfo.se)

Mottagare jolu.test@analys.urkund.se

Meddelande My paper on diving [Visa hela meddelandet](#)

46% av det här ca 3 sidor stora dokumentet består av text som också förekommer i 4 st källor.

Källförteckning

Rankning	Sökväg/Filnamn
1	http://www.diversalernetnetwork.org/medical/articles/article.asp?articleid=65
2	http://bucearte.com/article/enfermedad-descompresiva?locale=en
3	http://www.traveldoctor.co.uk/dcs.htm
4	http://docs4ever.blogspot.com/2013_05_17_archive.html

Alternativa källor

Oanvända källor

This is a demo document created to illustrate the use of the urkund system. Author: Des DeMona Dangers of diving

During

96% Aktiv

at home. But diving is not without its dangers. It is vital to attend a recognised diving school for training, and subsequently make sure that you keep your skills updated.

Diving has to be planned and carried out with care. First aid equipment and relevant phone numbers are at hand if an accident occurs. Diving bells are used to prevent signs of decompression sickness and to be able to give first aid to divers who are in trouble. Diving has become more and more popular at tropical beach resorts lately as a means of recreation. Diving bells is an obsolete way of diving and should not be used. Diving bells are mentioned in legends at great depths, like the Swedish Regal ship Vasa or the German WWII battle cruiser Bismarck. Not for looking at coral at a depth of a measly 9m in some lagoon. It can be dangerous. Don't do it.

What is decompression sickness?

Decompression sickness, by many referred to as "the bends" or "diving sickness", is triggered when bubbles of nitrogen forms in the blood and tissue of a body. These bubbles follow when a person rises from deep water to shallow water, where the pressure is lower, too quickly.

The symptoms of the bends occur almost immediately after a completed dive and can lead to catalepsy or even death in serious cases.

If you or a dive-mate exhibits symptoms of decompression sickness, immediately stop the dive, start administering first aid, and call a specialist in divers' medicine for help. The only treatment is to breathe 100% oxygen on site as well as in transport to treatment in a decompression chamber.

Symptoms of decompression sickness

Extern källa: http://docs4ever.blogspot.com/2013_05_17_archive.html

96%

at home and abroad. But diving is not without its dangers. It is vital to attend a recognised diving school for training, and subsequently make sure that you keep your skills

Step 5.
Geride kalan vurguları da inceleyiniz.